## Galactic Coordinates for the <u>General Catalogue of Radial</u> <u>Velocities</u>

The General Catalogue of Radial Velocities prepared at the Mt. Wilson Observatory by the late Ralph E. Wilson has in the twelve years since its publication demonstrated its worth in several branches of stellar astronomy; it provides a readily available listing of the brighter stars with spectral, kinematical and positional data. Revisions and extensions of this catalogue were discussed in detail at the XIIth General Assembly of the I. A. U. at Hamburg.

For problems of galactic structure, coordinates in the new ( $\ell^{\text{T}}$ ,  $\ell^{\text{T}}$ ) system adopted in 1960 are indispensable. The present work was undertaken to make such data available to all astronomers.

tape prepared at the NASA Goddard Space Flight Center from an unverified punched card version of the catalogue compiled at the Tale University and the U.S. Naval Observatories. In preparing this tape J.M. Burley computed galactic coordinates (L and L) for each star in the GCRV using an IBM 7094. From this tape a new set of 15,106 cards was obtained through the facilities of IBM Italia in Rome. Using an IBM 1620, Bertiau checked the punched cards, and consequently the original tape, for different errors (sequencing, inversions, etc.); the galactic coordinates were also recalculated with

FACILITY FORM 602

(ACCESSION NUMBER)

(PAGES)

(PAGES)

(PAGES)

(PAGES)

(CATEGORY)

XERO

XERO

eight significant figures. In cases where a discrepancy was found between the two sets of coordinates computed for the same star, twelve figures were used; in nine cases it was found that a precision of twelve decimals was necessary to decide about the rounding off of the second decimal. Thus the galactic coordinates,  $l^{\#}$  and  $l^{\#}$ , are presented with a precision of 0.01 in the catalogue.

Discrepancies in  $\prec$  and  $\delta$  between the General Catalogue and the tape were detected by the laborious but profitable method of comparing the sums of  $\prec$  and  $\delta$  for stars listed on each page of the GCRV with the corresponding sums obtained from the punched cards. The exacting task of computing the sums with a desk calculator was carried out by Theo Fonteyn S.J. at Louvain University. The small number of errors detected enhances the confidence placed in the accuracy of the present catalogue.

Dr. William Buscombe of the Mount Stromlo Observatory kindly communicated to us a list of errors detected in the GCRV. Four of these errors concern positional data and hence affect the values of  $\mathcal{A}^{\mathcal{I}}$  and  $\mathcal{A}^{\mathcal{I}}$ . These errors are the following:

GORVINO.	් as given in GORV	$\delta$ correct	
5574	-7° 49'	+7° 49'	
7329	-9° 45'	-5° 45'	
8561	+34° 59°	-34° 59'	
8712	-65° 50'	-63° 50'	

XERO



In the present catalogue these four stars are marked with an asterisk (\*) immediately after the GCRV Number.

The arrangement of the present catalogue is the following: GCRV No., equatorial coordinates ( $\prec$  and  $\delta$  for 1950), and galactic coordinates ( $\mathcal{L}^{\mathcal{I}}$  and  $\mathcal{L}^{\mathcal{I}}$ ).

The authors wish to express their thanks to Dr. Raynor

L. Duncombe of the U. S. Naval Observatory for his advice
and encouragement to publish these data; to the staffs of
the Yale University and the U. S. Naval Observatories who
prepared the punched cards from which the tape and subsequent
cards were obtained; to Dr. William Buscombe, Theo Fonteyn S.J.
and the staff members of the Vatican Observatory and the
Goddard Space Flight Center for their help and suggestions;
and to IBM Italia and the Tipografia Vaticana for their care
with the printing.

	James .	rage or	on in-page	earaiogue —		· •	
• N.	. R.A.	DEC.	L. B.	. N R.A.	DEC.	L. B.	
		•	•				•
	0 10.2	+72 15	120.01 + 9.87	151 0 14.8	+08 36	109.94 -53.	.06
	10.2	+37 25	114.54 -24.55	152 14.9	+50 01	117-41 -12-	21
703	10.5		58.97 -80.12	, 153 15.1	+51 09	117.59 -11.	
104 105	10.6 10.7		109.95 -44.98 109.45 -46.69	154 15•2 155 15•2	+58 47 +01 25	118.62 ~ 3.	
. 103	10•1	T14 94	103445 -40403	133 13•2	<b>TUI</b> 27	103.00 -90.	· UQ
106	10.7		118.70 + 0.90	156 15•2	+16 03	111.32 -45.	
107	10.8	+26 43	112.56 -35.11	157 15•3	+19 57	112.33 -41.	
108 109	10.8 10.9	+26 43 +40 46	112.56 -35.11 115.27 -21.26	158 15.4 159 15.4	+12 30 -13 44	110.37 -49. 91.49 -74.	
110	11.2	+75 45	120.62 +13.32	160 15.5	+76 00	120.92 +13	
	•						
111 112	1].3	+59 43° +44 14	118.26 - 2.54	161 15.5 162 15.5	+43 44	116.63 -18.	
113	11.4	+44 14 -17 49	115.94 -17.85 78.93 -77.08	162 15.5	+61 27	119.02 - 0	
114	11.4	+32 56	113.98 -29.01	164 15•7	+35 30	115.58 -25.	
115	11.5	+75 45	120.64 +13.32	165 15.7	+30 05	114.51 -31.	95
116	11.5	-04 11	100.28 -65.12	166 15•7	+10 56	109.99 -50.	83
117	11.6	+25 59	112.62 -35.86	167 15.8	+61 56	119.11 - 0.	
118	11.6	+35 08	114.44 -26.85	168 15.9	+25 52	113.77 -36.	
119	11.7	+43 34	115.89 -18.52	169 15.9	+25 52	113.77 -36.	
120	11.9	-08 04	96.86 -68.77	170 16.0	+31 14	114.78 -30.	. <del>8 4</del>
121	11.9	-14 42	86.93 -74.65	171 16.1	+43 31	116.71 -18.	
122	12.0	+19 56	111.30 -41.83	172 16.1	+22 36	113.16 -39.	
123 124	12.1	-19 13 -15 05	75.09 -78.23 86.29 -74.99	173 16•1 174 16•1	+15 43 +15 43	111.53 -46.	
125	17.3	-14 27	87.74 -74.49	175 16•6	+58 52	118.81 - 3.	
	•						
126	12.3	+22 00	111.90 -39.81	176 16.8	+26 11	114.08 -35.	
127 128	12.4	+08 33 +08 32	107.86 -52.97 107.86 -52.99	177 16•9 178 17•1	-09 06 +40 27	99.00 ~70. 116.47 ~21.	
129	12.5	+58 09	118.19 - 4.11	179 17•3	+44 26	117.06 -17.	
130	12.5	+31 15	113.93 -30.71	180 17.3	+61 48	. 119•26 - q•	.57
131	12.6	+27 00	113.11 -34.90	181 17•3-	+42 36	116.31 -19.	62
132	12.8	-32 19	358.74 -80.74	. 182 17.3		112.01 -45.	
122	12.4	+76 -40	120.89 +14.21	183 17.4		116.17 -24.	
134 135	13.5		116.70 -15.43	184 17.4	+48 35 -65 10	117.63 ~13. 308.35 ~51.	
ל־ר ו	13.7	+43 19	116.23 -18.82	185 17•5	-65 10	JUN - DJ - TDI -	71
136	13.8		88.31 -74.93	186 17.8	+30 40	115.13 -31.	
137	14.0	+15 33	110.77 -46.22	187 17.8		115.14 -31.	
130 138	14.0	+07 58. +54 23	108.28 -53.63 117.87 - 7.87	188 17•9 189 18•0	+10 38 +61 36	110.74 ~51. 119.32 ~ 0.	
140	14.1	+01 34	105.43 -59.84	190 18.0	+07 55	109.90 -53.	
			70		. 24 . 10		
141 142	]4•] ]4•]	+36 21 +36 12	115.21 -25.72 115.18 -25.87	191 18•1 192 18•1	+26 13	114.44 -35. 115.53 -29.	
143	14.2	+13 38	110.28 -48.11	193 18.3	+32 42	115.58 -29.	
144	14.2	+09 58	109.09 -51.69	194 18•3	+10 42	110.92 -51.	18
145	14.3	+61 15	118.84 - 1.07	195 18.3	-69 54	306-88 -47.	27
146	14.4	+40 40	115.96 -21.46	196 18•4	+12-30	111.48 -49.	42
147	14.5	+38 24	115.63 -23.71	197 18.5	+37 42	116.37 -24.	
148	14.8	+16 14	111.2345.59	_198 19.0	-29 15	15.59 -83.	
149	14.8	+16 14	111.23 -45.59 108 XERO -53.06	199 19•1 200 19•26	-16 29 ≅≈20 20	89.10 -77. 77.48 -80.	
XERO O	14.8	.+08 36	100 XERO - 73 6 00	200 17 2 X	BOSO 20	71040 TOU	17